

EMCO AVR EE-301E

Features:

- ☐ Digital readout for PT Supply and Deadband Settings
- ☐ LED indications for Raise, Lower presignals, Undervoltage and Control Relay operation conditions
- ☐ Continuously adjustable Time Delay Setting

□ Automatic resetting after voltage correction

- ☐ Single pulse operation of control relays
- ☐ Undervoltage internal blocking
- UV or Auxiliary Fail Relay optionally available
- ☐ 433V Display optionally available

Technical Specifications

Auxiliary Supply : 110/230V AC ±15%, 50Hz, 15VA

PT Supply : 110V AC, 50Hz

Lower Setting (LS) : Adjustable between 95V to 125V and

readable on display

Raise Setting (RS) : Adjustable between 90V to 120V and

readable on display

Time Delay Setting : Fixed (Voltage independent) Time Delay

Continuously adjustable from 10 to 120

sec.

Time Delay Resetting

ELECTRONICS

Instantaneous resetting with voltage

deviation occurring in opposite direction
Undervoltage Blocking : Internal blocking at 80V, Restoration at

85V

Control Relays

•

Control operation

Operating Temperature Panel Cutout

Overall Dimensions

Weight Optional : Pair of normally open potential free contacts of rating 5A at 240V AC or 24V

DC resistive load for each Lower and Raise control relays

: Single pulse operation with approx. 2 sec.

ON Time

: 0°C to 45°C

: 90 mm (H) x 185 mm (W)

: 92 mm (H) x 192 mm (W) x 220 mm (D)

: 1.5Kgs. approx.

: 1. 1 pair of NO contacts for UV or Auxiliary Fail

2. 433V Display

Product specifications are subject to change without notice.

EMCO ELECTRONICS

(An ISO 9001:2008 Mfg. Co.)

302, Vasan Udyog Bhavan, Senapati Bapat Marg, Opp. Phoenix mill, Lower Parel (W), Mumbai-400013.
 Tel.: +91-22-2490 2283 / 2492 3183.
 Fax: +91-22-2495 1024.
 E-mail: office@emcoelectronics.org

Factory: 13, Kedarnath, Tungareshwar Indl. Complex No. 1, Sativali, Vasai (E), Dist - Thane. 401 208.

■Tel.: +91-250-2481 783 / 804, +91-250-6480 114 ■Fax : +91-250-2481 087.

■E-mail: mumbai@emcoelectronics.org

South: 15, Wood Street, (1st floor), Richmond Road, Bangalore – 560 025.

■Tel.: +91-80-2557 0215. ■Fax: +91-80-2556 6066. ■E-mail: emcoblr@bgl.vsnl.net.in



